



LED LIGHTING WHOLESALE INC.

Spot / Beam / Wash LED Moving Head Light


. Mini-15 Spot LED Moving Head Light

	Item Number	LED Light Source		Power Voltage	Brand Name		Unit Price
	LLWI - Mini 15	Tri Color	1*15W	100-240V AC	ColourEngine		\$270
	Features: <ul style="list-style-type: none"> ● . 15W Tri-in-1 LED Light Source ● . RGB Color Mixing (3-in-1) System ● . Switching Power Supply ● . Constant Current Drived ● . Fresh Rate: >400Hz Flicker-Free ● . Two DMX Mode: 5/13CHs ● . User selectable Pan ranges: 540°/360°/180° ● . User selectable Tilt ranges: 270°/180°/90° ● . 16 bit Pan/Tilt Fine ● . Pan/Tilt: Vector Speed adjustable ● . Gobo Wheel: 9 Gobo+Open; Gobo Wheel Spin Effect ● . Dimmer: 0~100% ;Strobe: 0-20/S ● . Function: Built-in Movement Marcos, Color Marcos, ● . 3-Pin DMX in and DMX out ● . 24V Silent Fan with Low Noise and Quiet Working ● . Fan Heat Transfer Cooling System ● . Led Digital Display Menu 				Specification: <ul style="list-style-type: none"> ● . Light Source:1pcs 15W Tri-in-1 LED ● . Power input: AC 100-240V ● . Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● . DMX Channel: 5/13Chs ● . Product Net Weight: 3.8Kgs ● . Product Dimension: 173*173*250mm ● . Carton Packing : 2units/Carton ● . Carton Packing Gross Weight: 8Kgs ● . Carton Packing Dimension: 460*285*275mm 		

. DJ-30 spot LED Moving Head Light



Hot Selling	Item Number	LED Light Source		Power Voltage	Brand Name	Dimension	Weight	Unit Price
	LLWI - DJ 30	White LED	1*30W	100-240V AC	ColourEngine	242*240*364 mm	8Kgs	\$585
	Features: <ul style="list-style-type: none"> ● . 30W White Color LED Light Source ● . 2000lm Luminous flux @ 2m ● . Switching Power Supply ● . Constant Current Drived ● . Fresh Rate: >400Hz Flicker-Free ● . DMX Channel: 11/12CHs ● . Pan:540°, Tilt:270°; 16 bit Pan/Tilt Fine ● . Pan/Tilt: Vector Speed adjustable ● . Projection angle:15° ● . Color Wheel: 9 Color+Open; Rainbow -flow Effect ● . Gobo Wheel: 7 Gobo+Open; Gobo-flow Effect,Gobo Shake,Gobo Rotation ● . 3 Facet Prism Effect ● . Manual Focus ● . Dimmer: 0~100% ;Strobe: 0-20/S ● . 3-Pin DMX in and DMX out ● . 24V Silent Fan with Low Noise and Quiet Working ● . Fan Heat Transfer Cooling System ● . LCD Digital Display Menu 				Specification: <ul style="list-style-type: none"> ● . Light Source:1pcs 30W White LED ● . Power input: AC 100-240V ● . Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● . DMX Channel: 11/12Chs ● . Product Net Weight: ● . Product Dimension: ● . Packing Gross Weight: ● . Packing Dimension: 			

. Club-30 spot LED Moving Head Light



New 30W	Item Number	LED Light Source		Power Voltage	Brand Name	Dimension	Weight	Unit Price
	LLWI - Club 30	White LED	1*30W	100-240V AC	ColourEngine	242*240*364 mm	8Kgs	\$735
	Features: <ul style="list-style-type: none"> ● . 30W White Color LED Light Source ● . 2000lm Luminous flux @ 2m ● . Switching Power Supply ● . Constant Current Drived ● . Fresh Rate: >400Hz Flicker-Free ● . DMX Channel: 10/15CHs ● . Pan:540°, Tilt:270°; 16 bit Pan/Tilt Fine ● . Pan/Tilt: Vector Speed adjustable ● . Projection angle:14° ● . Color Wheel: 7 Colors+White; Split Colors; Rainbow Effect ● . Gobo Wheel 1: 8 Static Gobo+Open; Rainbow Effect ● . Gobo Wheel 2: 6 Rotating Gobo(5Metal,1Glass)+Open; Rainbow Effect,Gobo Shake ● . Prism: 3-Facet Prism ● . Focus: Variable Motorized Focus ● . Shutter: Variable Electronic Shutter(for strobing) ● . Dimmer: Variable Electronic Dimmer (0~100%) ● . 3-Pin XLR DMX in and DMX out ● . Perfect Match up with DA-WDMX-XRL (2.4G Wireless DMX Receiver) ● . 24V Silent Fan with Low Noise and Quiet Working ● . Fan Heat Transfer Cooling System ● . LCD Digital Display Menu 				Specification: <ul style="list-style-type: none"> ● . Light Source:1pcs 30W White LED ● . Power input: AC 100-240V ● . Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● . DMX Channel: 10/15Chs ● . Product Net Weight: ● . Product Dimension: ● . Packing Gross Weight: ● . Packing Dimension: 			

LED LIGHTING WHOLESALE INC.



. DJ-60 Spot LED Moving Head Light

New 60W Luminus LED	Item Number	LED Light Source		Power Voltage	Brand Name	Dimension	Weight	Unit Price
 	LLWI - Dj 60	CST-90 Luminus LED	1*60W	100-240V AC	ColourEngine	485*290*295mm	16Kgs	\$900
	Features: <ul style="list-style-type: none"> ● . 60W CST-90 Luminus LED ● . 18000Lux @ 1m ● . Switching Power Supply ● . Constant Current Drived ● . Fresh Rate: >400Hz Flicker-Free ● . Two DMX Channel: 10/15CHs ● . Pan:540° , Tilt:270° ; 16 bit Pan/Tilt Fine ● . Pan/Tilt: Vector Speed adjustable ● . Projection angle:14° ● . Color Wheel: 7 Colors+White; Split Colors; Rainbow Effect ● . Gobo Wheel 1: 8 Static Gobo+Open; Rainbow Effect,Gobo Shake ● . Gobo Wheel 2: 6 Rotating Gobo(5Metal,1Glass)+Open; Rainbow Effect,Gobo Shake ● . Prism: 3-Facet Prism ● . Focus: Variable Motorized Focus ● . Shutter: Variable Electronic Shutter(for strobing) ● . Dimmer: Variable Electronic Dimmer (0~100%) ● . 3-Pin XLR DMX in and DMX out ● . Perfect Match up with DA-WDMX-XRL (2.4G Wireless DMX Receiver) ● . 24V Silent Fan with Low Noise and Quiet Working ● . Fan Heat Transfer Cooling System ● . LCD Digital Display Menu 				Specification: <ul style="list-style-type: none"> ● . Light Source:1pcs 60W CST-90 Luminus LED ● . Power input: AC 100-240V ● . Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● . DMX Channel: 10/15CHs ● . Product Net Weight: ● . Product Dimension: ● . Carton Packing Gross Weight: ● . Carton Packing Dimension: ● . Flight case Packing: 2 units/ flight case ● . Product with flight case GW: 38 Kgs ● . Flight case Dimension:700*420*650mm (39Kgs) 			

. Club-60 Spot LED Moving Head Light


60W Luminus LED	Item Number	LED Light Source		Power Voltage	Brand Name	Dimension	Weight	Unit Price
 	LLWI - Club 60	CST-90 Luminus LED	1*60W	100-240V AC	ColourEngine	485*290*295mm	16Kgs	\$730
	Features: <ul style="list-style-type: none"> ● . 60W CST-90 Luminus LED ● . 4500lm Luminous flux @ 2m ● . Switching Power Supply ● . Constant Current Drived ● . Fresh Rate: >400Hz Flicker-Free ● . Two DMX Channel: 11/14CHs ● . Pan:540° , Tilt:270° ; 16 bit Pan/Tilt Fine ● . Pan/Tilt: Vector Speed adjustable ● . Projection angle:15° ● . Color Wheel: 8 Color+Open; Rainbow -flow Effect ● . Static Gobo Wheel: 9 Gobo+Open; Gobo-flow Effect,Gobo Shake ● . Rotation Gobo Wheel: 7 Gobo+Open; Gobo-flow Effect,Gobo Shake ● . 3 Facet Prism Effect ● . Electronic focus ● . Dimmer: 0~100% ;Strobe: 0-20/S ● . 3-Pin DMX in and DMX out ● . Perfect Match up with DA-WDMX-XRL (2.4G Wireless DMX Receiver) ● . 24V Silent Fan with Low Noise and Quiet Working ● . Fan Heat Transfer Cooling System ● . LCD Digital Display Menu 				Specification: <ul style="list-style-type: none"> ● . Light Source:1pcs 60W CST-90 Luminus LED ● . Power input: AC 100-240V ● . Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● . DMX Channel: 11Chs ● . Product Net Weight: ● . Product Dimension: ● . Carton Packing Gross Weight: ● . Carton Packing Dimension: ● . Flight case Packing: 2 units/ flight case ● . Product with flight case GW: 38 Kgs ● . Flight case Dimension:700*420*650mm (39Kgs) 			

. XYZ-60 Spot LED Moving Head Light


60W Luminus LED	Item Number	LED Light Source		Power Voltage	Brand Name	Dimension	Weight	Unit Price
 	LLWI-XYZ 60	CST-90 Luminus LED	1*60W	100-240V AC	ColourEngine	330*300*460mm	10Kgs	\$799
	Features: <ul style="list-style-type: none"> ● . 60W CST-90 Luminus LED ● . 18000Lux @ 1m ● . Switching Power Supply ● . Constant Current Drived ● . Fresh Rate: >400Hz Flicker-Free ● . Two DMX Channel: 11/16CHs ● . Pan X:540°,Pan Z:540° , Tilt Y:5400° ; 16 bit Pan/Tilt Fine ● . Pan/Tilt: Vector Speed adjustable ● . Projection angle:14° ● . Color Wheel: 8 Color+Open; Rainbow -flow Effect ● . Rotation Gobo Wheel: 6 Gobo+Open; Gobo-flow Effect,Gobo Shake ● . 3 Facet Prism Effect ● . Electronic focus ● . Dimmer: 0~100% ;Strobe: 0-20/S ● . 3-Pin DMX in and DMX out ● . Perfect Match up with DA-WDMX-XRL (2.4G Wireless DMX Receiver) ● . 24V Silent Fan with Low Noise and Quiet Working ● . Fan Heat Transfer Cooling System ● . LCD Digital Display Menu 				Specification: <ul style="list-style-type: none"> ● . Light Source:1pcs 60W CST-90 Luminus LED ● . Power input: AC 100-240V ● . Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● . DMX Channel: 11Chs ● . Product Net Weight: 8.5Kgs ● . Product Dimension: 280*290*450mm ● . Packing Gross Weight: ● . Packing Dimension: 			

LED LIGHTING WHOLESALE INC.


. Pro-120 Spot LED Moving Head Light

120W Luminus LED	Item Number	LED Light Source		Power Voltage	Brand Name	Dimension	Weight	Unit Price
	LLWI-LED-Pro 120	White LED	1*120W	100-240V AC	ColourEngine	390x320x650mm	25Kgs	\$1,950
	<p>Features:</p> <ul style="list-style-type: none"> ● 120W CSM-360 Luminus LED ● 7500lm Luminous flux @ 2m ; Lux @ 2m: +13500 ● Switching Power Supply ● Constant Current Drived ● Fresh Rate: >400Hz Flicker-Free ● Two DMX Channel: 13/16CHs ● Pan:540°, Tilt:270°; 8/16 bit Pan/Tilt Fine ● Pan/Tilt: Vector Speed adjustable ● Projection angle:15° ● Color Wheel: 7 Color+Open; Rainbow -flow Effect ● 1st Rotation Gobo Wheel: 6 Gobo+Open; Gobo-flow Effect,Gobo Shake ● 2nd Rotation Gobo Wheel: 6 Gobo+Open; Gobo-flow Effect,Gobo Shake ● 3 Facet Prism with Rotation; Speed adjustable ● Electronic focus ● Electronic Zoom ● Electronic Iris as optional for Highest version ● Dimmer: 0~100% ;Strobe: 0-20/S ● 3-Pin DMX in and DMX out ● Perfect Match up with DA-WDMX-XRL (2.4G Wireless DMX Receiver) ● 24V Silent Fan with Low Noise and Quiet Working ● Fan Heat Transfer Cooling System ● LCD Digital Display Menu <p>Specification:</p> <ul style="list-style-type: none"> ● Light Source:1pcs 60W CST-90 Luminus LED ● Power input: AC 100-240V ● Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● DMX Channel: 11Chs ● Product Net Weight: ● Product Dimension: ● Carton Packing: 1 units/ carton ● Carton Packing GW: 30 Kgs ● Carton Packing Dimension: 640*560*480mm (35Kgs) ● Flight case Packing: 2 units/ flight case ● Flight case Packing GW: 72 Kgs ● Flight case Dimension: 850*550*900mm (85Kgs) 							

. Smart-18 Wash LED Moving Head Light



Hot Selling	Item Number	LED Light Source		Power Voltage	Brand Name			Unit Price
	LLWI-Smart-1803	R,G,B	18*3W	100-240V AC	ColourEngine			\$275
	<p>Features:</p> <ul style="list-style-type: none"> ● Compact and Light Weight ● 3W Full Light Output RGB LED ● RGB Color Mixing ● Switching Power Supply ● Constant Current Drived ● Fresh Rate: >400Hz Flicker-Free ● Two DMX Channel: 4/12CHs ● User selectable Pan ranges: 540° /360° /180° ● User selectable Tilt ranges: 270° /180° /90° ● 16 bit Pan/Tilt Fine ● Pan/Tilt: Vector Speed adjustable ● Dimmer: 0~100% ;Strobe: 0-20/S ● Funtion: Pan/Tilt Movement Marcos, Color Marcos ● 3-Pin DMX in and DMX out ● Perfect Match up with DA-WDMX-XRL (2.4G Wireless DMX Receiver) ● 24V Silent Fan with Low Noise and Quiet Working ● Fan Heat Transfer Cooling System ● LED Digital Display Menu <p>Specification:</p> <ul style="list-style-type: none"> ● Light Source:18pcs 3W Full Output RGB LED ● Power input: AC 100-240V ● Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● DMX Channel: 11Chs ● Product Net Weight: 4Kgs ● Product Dimension: 300*240*240mm ● Carton Packing : 2units/Carton ● Carton Packing Gross Weight: 9Kgs ● Carton Packing Dimension: 500*310*260mm 							

. 1603-Tri Wash LED Moving Head Light--16pcs 3W Tri-in-1 LED's


Hot Selling	Item Number	LED Light Source		Power Voltage	Brand Name			Unit Price
	LLWI-1603-Tri	Tri-in-1 LED	16*3W	100-240V AC	ColourEngine			\$300
	<p>Features:</p> <ul style="list-style-type: none"> ● Compact and Light Weight ● 16pcs 3W Tri-in-1 LED's ● RGB (3-in-1) Color Mixing ● Switching Power Supply ● Constant Current Drived ● Fresh Rate: >400Hz Flicker-Free ● Two DMX Channel: 12CHs ● User selectable Pan ranges: 540° /360° /180° ● User selectable Tilt ranges: 270° /180° /90° ● 16 bit Pan/Tilt Fine ● Pan/Tilt: Vector Speed adjustable ● Dimmer: 0~100% ;Strobe: 0-20/S ● Funtion: Pan/Tilt Movement Marcos, Color Marcos ● 3-Pin DMX in and DMX out ● Perfect Match up with DA-WDMX-XRL (2.4G Wireless DMX Receiver) ● 24V Silent Fan with Low Noise and Quiet Working ● Fan Heat Transfer Cooling System ● LED Digital Display Menu <p>Specification:</p> <ul style="list-style-type: none"> ● Light Source:16pcs 3W Tri-in-1 LED ● Power input: AC 100-240V ● Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● DMX Channel: 12Chs ● Product Net Weight: 4Kgs ● Product Dimension: 300*240*240mm ● Carton Packing : 2units/Carton ● Carton Packing Gross Weight: 9Kgs ● Carton Packing Dimension: 500*310*260mm 							

LED LIGHTING WHOLESALE INC.



. 610-Quad Wash LED Moving Head Light-6pcs 10W Quad-in-1 LED's

Hot Selling	Item Number	LED Light Source		Power Voltage	Brand Name		Unit Price
 	LLWI-610-Quad	Quad-in-1 LED	6*10W	100-240V AC	ColourEngine		\$325
	Features: <ul style="list-style-type: none"> ● Compact and Light Weight ● 6pcs 10W Quad-in-1 LED's ● RGBW (4-in-1) Color Mixing ● Switching Power Supply ● Constant Current Drived ● Fresh Rate: >400Hz Flicker-Free ● Two DMX Channel: 13CHs ● User selectable Pan ranges: 540° /360° /180° ● User selectable Tilt ranges: 270° /180° /90° ● 16 bit Pan/Tilt Fine ● Pan/Tilt: Vector Speed adjustable ● Dimmer: 0~100% ;Strobe: 0-20/S ● Funtion: Pan/Tilt Movement Marcos, Color Marcos ● 3-Pin DMX in and DMX out ● Perfect Match up with DA-WDMX-XRL (2.4G Wireless DMX Receiver) ● 24V Silent Fan with Low Noise and Quiet Working ● Fan Heat Transfer Cooling System ● LED Digital Display Menu 		Specification: <ul style="list-style-type: none"> ● Light Source:6pcs 10W Quad-in-1 LED ● Power input: AC 100-240V ● Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● DMX Channel: 13Chs ● Product Net Weight: 4Kgs ● Product Dimension: 300*240*240mm ● Carton Packing : 2units/Carton ● Carton Packing Gross Weight: 9Kgs ● Carton Packing Dimension: 500*310*260mm 				



. 1210-Quad Wash LED Moving Head Light-12pcs 10W Quad-in-1 LED's

Hot Selling	Item Number	LED Light Source		Power Voltage	Brand Name		Unit Price
	LLWI-Z1210 Quad	Quad-in-1 LED	12*10W	100-240V AC	ColourEngine		\$863
	Features: <ul style="list-style-type: none"> ● Zoom Function Beam Angle from 18°to 45° ● 12pcs 10W Quad-in-1 LED's ● RGBW (4-in-1) Color Mixing ● Switching Power Supply ● Constant Current Drived ● Fresh Rate: >400Hz Flicker-Free ● Two DMX Channel: 13CHs ● Pan:540° , Tilt:270° ● 16 bit Pan/Tilt Fine ● Pan/Tilt: Vector Speed adjustable ● Dimmer: 0~100% ;Strobe: 0-20/S ● Funtion: Pan/Tilt Movement Marcos, Color Marcos ● 3-Pin DMX in and DMX out ● Perfect Match up with DA-WDMX-XRL (2.4G Wireless DMX Receiver) ● 24V Silent Fan with Low Noise and Quiet Working ● Fan Heat Transfer Cooling System ● LED Digital Display Menu 		Specification: <ul style="list-style-type: none"> ● Light Source:12pcs 10W Quad-in-1 LED ● Power input: AC 100-240V ● Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● DMX Channel: 13Chs ● Product Net Weight: 64Kgs ● Product Dimension: 350*320*400mm ● Carton Packing : 1units/Carton ● Carton Packing Gross Weight: 8Kgs ● Carton Packing Dimension: 400*400*400mm (12Kgs) 				

. DJ-36 Wash LED Moving Head Light

Perfect	Item Number	LED Light Source		Power Voltage	Brand Name		Unit Price
 	LLWI-DJ 3603	R,G,B	36*3W	100-240V AC	ColourEngine		\$499
	Features: <ul style="list-style-type: none"> ● 3W Full Light Output RGB LED ● RGB Color Mixing ● Switching Power Supply ● Constant Current Drived ● Fresh Rate: >400Hz Flicker-Free ● DMX Channel: 12CHs ● Pan:540° , Tilt:270° ; 16 bit Pan/Tilt Fine ● Pan/Tilt: Vector Speed adjustable ● 16 bit Pan/Tilt Fine ● Dimmer: 0~100% ;Strobe: 0-20/S ● Funtion: Pan/Tilt Movement Marcos, Color Marcos ● 3-Pin DMX in and DMX out ● Perfect Match up with DA-WDMX-XRL (2.4G Wireless DMX Receiver) ● 24V Silent Fan with Low Noise and Quiet Working ● Fan Heat Transfer Cooling System ● LED Digital Display Menu 		Specification: <ul style="list-style-type: none"> ● Light Source:36pcs 3W LED ● Power input: AC 100-240V ● Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● DMX Channel: 12Chs ● Product Net Weight: 7Kgs ● Product Dimension: 350*400*360mm ● Carton Packing : 1unit/carton ● Carton Packing Gross Weight: 9Kgs ● Carton Packing Dimension: 350*400*360mm (11Kgs) 				




. Club-36 Wash LED Moving Head Light

3W Tri-in-1 LED	Item Number	LED Light Source		Power Voltage	Brand Name		Unit Price
 	LLWI-3603 Tri	Tri color-in-One	36*3W	100-240V AC	ColourEngine		\$639
	Features: <ul style="list-style-type: none"> ● 3in1 3W LED Light source ● RGB (3-in-1) Color Mixing ● Switching Power Supply ● Constant Current Drived ● Fresh Rate: >400Hz Flicker-Free ● DMX Channel: 12CHs ● Pan:540°; Tilt:270°; 16 bit Pan/Tilt Fine ● Pan/Tilt: Vector Speed adjustable ● 16 bit Pan/Tilt Fine ● Dimmer: 0~100% ;Strobe: 0-20/S ● Funtion: Pan/Tilt Movement Marcos, Color Marcos ● 3-Pin DMX in and DMX out ● Perfect Match up with DA-WDMX-XRL (2.4G Wireless DMX Receiver) ● 24V Silent Fan with Low Noise and Quiet Working ● Fan Heat Transfer Cooling System ● LED Digital Display Menu 		Specification: <ul style="list-style-type: none"> ● Light Source:36pcs 3W 3-in-1 LED ● Power input: AC 100-240V ● Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● DMX Channel: 12Chs ● Product Net Weight: 7Kgs ● Product Dimension: 350*400*360mm ● Carton Packing : 1unit/carton ● Carton Packing Gross Weight: 9Kgs ● Carton Packing Dimension: 350*400*360mm (11Kgs) 				






LED LIGHTING WHOLESALE INC.



. 180W LED Moving Head Wash Light

Perfect 4-in-1 LED	Item Number	LED Light Source		Power Voltage	Brand Name		Unit Price
 	LLWI-2410 Quad	Quad Color Chip in One LED	24*10W	100-240V AC	ColourEngine		\$1,350
	Features: <ul style="list-style-type: none"> ● 10W Quad Color in One LED Light source ● RGBW (4-in-1) Color Mixing ● Switching Power Supply ● Constant Current Drived ● Fresh Rate: >400Hz Flicker-Free ● Three DMX Channel: 9/11/15CHs ● Pan:540°, Tilt:270°; 16 bit Pan/Tilt Fine ● Pan/Tilt: Vector Speed adjustable ● 16 bit Pan/Tilt Fine ● Dimmer: 0~100% ;Strobe: 0-20/S ● Funtion: Pan/Tilt Movement Marcos, Color Marcos ● 3-Pin DMX in and DMX out ● Perfect Match up with DA-WDMX-XRL (2.4G Wireless DMX Receiver) ● 24V Silent Fan with Low Noise and Quiet Working ● FFan and Convection Heat Transfer Cooling System ● LED Digital Display Menu 				Specification: <ul style="list-style-type: none"> ● Light Source:24pcs 10W 4-in-1 LED ● Power input: AC 100-240V ● Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● DMX Channel: 9/11/15CHs ● Product Net Weight: 9Kgs ● Product Dimension: ● Carton Packing : 1unit/carton ● Packing Gross Weight: 11Kgs ● Packing Dimension: 480*420*350mm (15Kgs) 		

. 324W Wash LED Moving Head Light

Pro RGBW LED	Item Number	LED Light Source		Power Voltage	Brand Name		Unit Price
 	LLWI-Pro 10803	R,G,B,W	108*3W	100-240V AC	ColourEngine		\$1,365
	Features: <ul style="list-style-type: none"> ● 3W Full Output LED Light source ● RGBW Color Mixing ● Switching Power Supply ● Constant Current Drived ● Fresh Rate: >400Hz Flicker-Free ● Three DMX Channel: 9/11/15CHs ● Pan:540°, Tilt:270°; 16 bit Pan/Tilt Fine ● Pan/Tilt: Vector Speed adjustable ● 16 bit Pan/Tilt Fine ● Dimmer: 0~100% ;Strobe: 0-20/S ● Funtion: Pan/Tilt Movement Marcos, Color Marcos ● 3-Pin DMX in and DMX out ● Perfect Match up with DA-WDMX-XRL (2.4G Wireless DMX Receiver) ● 24V Silent Fan with Low Noise and Quiet Working ● Fan and Convection Heat Transfer Cooling System ● LED Digital Display Menu 				Specification: <ul style="list-style-type: none"> ● Light Source:108pcs 3W LED ● Power input: AC 100-240V ● Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● DMX Channel: 11Chs ● Product Net Weight: 9Kgs ● Product Dimension: ● Carton Packing : 1unit/carton ● Packing Gross Weight: 11Kgs ● Packing Dimension: 480*420*350mm (15Kgs) 		

. 360W LED Moving Head Wash Light

Pro 4-in-1 LED	Item Number	LED Light Source		Power Voltage	Brand Name		Unit Price
 	LLWI-3610 Quad	Quad Color Chip in One LED	36*10W	100-240V AC	ColourEngine		\$1,770
	Features: <ul style="list-style-type: none"> ● 10W Quad color in One LED Light source ● RGBW(4-in-1) Color Mixing ● Switching Power Supply ● Constant Current Drived ● Fresh Rate: >400Hz Flicker-Free ● Three DMX Channel: 9/11/15CHs ● Pan:540°, Tilt:270°; 16 bit Pan/Tilt Fine ● Pan/Tilt: Vector Speed adjustable ● 16 bit Pan/Tilt Fine ● Dimmer: 0~100% ;Strobe: 0-20/S ● Funtion: Pan/Tilt Movement Marcos, Color Marcos ● 3-Pin DMX in and DMX out ● Perfect Match up with DA-WDMX-XRL (2.4G Wireless DMX Receiver) ● 24V Silent Fan with Low Noise and Quiet Working ● Fan and Convection Heat Transfer Cooling System ● LED Digital Display Menu 				Specification: <ul style="list-style-type: none"> ● Light Source:36pcs 10W 4-in-1 LED ● Power input: AC 100-240V ● Control mode: DMX512, Master/Slave, Auto Run, Stand alone, Sound active ● DMX Channel: 9/11/15CHs ● Product Net Weight: 19.5Kgs ● Product Dimension: 440*380*430mm ● Flight Case Packing: 2 Units/Flight Case ● Flight Case Weight: 22Kgs ● Flight Case Packing GW: 62Kgs ● Flight Case Packing Size:84*50*63cm (53Kgs) 