



LED LIGHTING WHOLESALE inc.

LED Color Washer, LED Wall Washer, LED City Color Washer


LED UV Color Blacklights-UV Panel

	Item Number	Color	LED	Voltage	Frequency	IP Rate	Dimension	Weight	Unit Price
	LLWI-UVP-216	216pcs 10mm UV LEDs		90-250V AC	50-60Hz	IP33	400*270*110mm	4Kgs	
Light source: 216 10mm UV LEDs LED Angel: 25° Channel: 13 Ch in total Control model: DMX 512, Sound active, Auto Run, Stand Alone, Master/Slave Function: Strobe, Dimmer, Built-in Program One Hanging bracket LED Display Control System with 4 Button									


LED UV Color Blacklights-UV Linear

	Item Number	Color	LED	Voltage	Frequency	IP Rate	Dimension	Weight	Unit Price
	LLWI-UV-252	252pcs 10mm UV LEDs		90-250V AC	50-60Hz	IP33	1100*150*180mm	6Kgs	
Light source: 216 10mm UV LEDs LED Angel: 25° Channel: 13 Ch in total Control model: DMX 512, Sound active, Auto Run, Stand Alone, Master/Slave Function: Strobe, Dimmer, Built-in Program One Hanging bracket LED Display Control System with 4 Button									


LED Color Wash Panel-216*RGB LEDs

	Item Number	Color	LED	Voltage	Frequency	IP Rate	Dimension	Weight	Unit Price
	LLWI-216-RGB	R,G,B	216*10mm	90-250V AC	50-60Hz	IP33	400*270*110mm	4Kgs	
Light source: 216 10mm RGB LEDs LED Angel: 25° RGB Color Mixing Channel: 13 Ch in total Control model: DMX 512, Sound active, Auto Run, Stand Alone, Master/Slave Function: Strobe, Dimmer, Built-in Program, Color Changing, Color Chase in three Pixel Section One Hanging bracket LED Display Control System with 4 Button									


Indoor LED Mega Pixel Strip-384*5mm

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-384-RGB	R,G,B	384*5mm	90-250V AC	50-60Hz	12 pcs	965*90*120mm	4Kgs	
Light source: 384pcs 5mm LEDs (128Red,128Green,128Blue) Channel: 4 channels Control Mode: Auto,Sound active, Master/Slave, DMX512 Built-in 23 user selectable Built-in Programs Auto run speed can be adjustable, flash speed can be adjustable Sound active sensitivity adjustable LED Display Control Menu System with 4 button									


LED Color Wash Strip-252*10mm

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-252-RGB-IP65	R,G,B	252*10mm	90-250V AC	50-60Hz	12 pcs	85*1070*650mm	4Kgs	
Light source: 252 PCS 10mm LEDs (108 red ,72 green,72 blue) Beam angle:35° Colours:R,G,B color mixing to 16,7million colours White balance pre-programmed via LED control panel Dimmer,Strobe:Electronic dimmer for light output adjustment from 0 to 100% (No colour variation) High speed white or full colour strobe,flash rate 1-13fps Control channels: 13 Operation modes: Master/Slave,Stand alone,Sound, DMX 512 Standing Bracket is Included in the Packing Box									


Outdoor IP67 LED Color Washer-108*1W/3W

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-7201	R,G,B	72*1W	90-250V AC	50-60Hz	6 pcs	380*200*190mm	8Kgs	
	LLWI-7203		72*3W						
<p>IP Rating:IP65 Light Source:72*1W/3W (24R+24G+24B) Beam Angle: 30 degree(15 degree is optional) Cooling:Forced air convection Functions:RGB color mixing/Custom programs/RGB to White,RGB Calibration/Auto-programs/Strobe/Dimmer,ID address/Color macros Operation:Display Panel :Automatic/Custom,Stand-alone/Slave,PIX Controller DMX512:3CHS/4CHS/5CHS/9CHS Dimensions(L*W*H): 380*200*190mm ;Weight:8kg</p>									


Outdoor IP67 LED Color Washer108*1W

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-10801	R,G,B R,G,B,W	108*1W	90-250V AC	50-60Hz	6 pcs	620*210*195mm	10Kgs	
	<p>Voltage:AC100-240_50/60HZ Rated Power:165W; IP Rating:IP65 Total/LED:108pcs*1W(R:36, G:36,B:36) Beam Angle: 15 degree/ 25 degree/ 35 degree/ 45 degree Channel:13CHS.;Cooling:Forced air convection Fuctions: RGB color mixing/ Customprograms, Auto-programs/DMX512 Strobe/Dimmer ,ID address/ color macros Opration:Display Panel; Control: Stand-alone/Slave /Custom ,PIX Controller Application:Outdoor and Indoor use/Pixel/stage light/studio/Expo...</p>								


Outdoor IP67 LED Color Washer-108*1W

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-108011	R,G,B	108*1W	90-250V AC	50-60Hz	6 pcs	620*210*195mm	10Kgs	
	<p>Voltage:AC100-240_50/60HZ Rated Power:165W; IP Rating:IP65 Total/LED:108pcs*1W(R:36, G:36,B:36) Beam Angle: 15 degree/ 25 degree/ 35 degree/ 45 degree Channel:10CHS.; Cooling:Forced air convection Fuctions: AW/RGBA/RGBW color mixing/ Customprograms, Auto-programs/DMX512 Strobe/Dimmer ,ID address/ color macros Opration:Display Panel; Control: Stand-alone/Slave /Master Application:Outdoor and Indoor use/Pixel/stage light/studio/Expo...</p>								


Outdoor IP67 LED Mini City Color Washer

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-12001	R,G,B	120*1W	90-250V AC	50-60Hz	12 pcs	310*270*370mm	10Kgs	
	<p>Light source: 120pcs High Brightness RGB LED Display: LCD Display Menu Channel: 6 standard DMX Channels Control mode: DMX512, Master/Slave, Stand Alone, LCD Display Menu, Auto Run Function: Light dimmer:0-100% light strobe speed adjust, DMX 512 control, Auto run, Music active control Waterproof Class: IP65 LED Angle: 35 degree Project distance: 30 meters</p>								

Outdoor IP67 LED Mini City Color Washer


	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-18001	R,G,B	180*1W	90-250V AC	50-60Hz	12 pcs	430*270*370mm	12Kgs	
	<p>Light source: 180pcs High Brightness RGB LED Display: LCD Display Menu Channel: 6 standard DMX Channels Control mode: DMX512, Master/Slave, Stand Alone, LCD Display Menu, Auto Run Function: Light dimmer:0-100% light strobe speed adjust, DMX 512 control, Auto run, Music active control Waterproof Class: IP65 LED Angle: 35 degree Project distance: 30 meters</p>								

Outdoor IP67 Super LED City Color Washer-180*3W Tri color-in-One LEDs


	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-18003	Tri color 3in1	180*3W	90-250V AC	50-60Hz	4 pcs	540*360*630mm	45Kgs	
	<p>Light source: 180pcs High Brightness Tri color 3in1 LED Display: LCD Display Menu Channel: 6 standard DMX Channels Function: Light dimmer:0-100% light strobe speed adjust, DMX 512 control, Auto run, Music active control Waterproof Class: IP65 LED Angle: 45 degree Project distance: 50 meters With Flightcase Packing</p>								




Indoor LED ColorKing Washer-16pcs Tri color-in-One LEDs

NEW-Tri color-in-One (3in1)	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-16003	Tri in 1 LED	16*3W	90-250V AC	50-60Hz	12 pcs	511*235*148mm	9Kgs	
	<p>LED Refresh-rate 400Hz suitable for use in TV studio Light Source: 16pcs 3W Tri color-in-One Edison LEDs In 16 pixels, each pixel can be DMX individually controlled Lens Beam Angle: 15 degree/ 25 degree/ 45 degree Channel: 53 Chs Control Mode: DMX 512, Master/Slave, Sound active, Auto Run Function: Color Chase from Pixel to Pixel, Color Changing, Built in Program, Strobe 0-20/s, Dimmer 0-100% Control Menu: LED Display Menu Connector:Signal in/out 3-pin XLR connectors Construction Material: Aluminum Body IP Waterproof Grade: IP20 for Indoor Lighting</p>								


Indoor Motorized LED Pixel Bar-36*3W Tri color-in-One LED

NEW-Tri color-in-One (3in1)	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-36003	Tri Color	36*3W	90-250V AC	50-60Hz	6 pcs	1093*132*155mm	9Kgs	
	<ul style="list-style-type: none"> • LED Refresh-rate 400Hz suitable for use in TV studio • Y moving 0-270 degree • Light Source: 36pcs 3W Tri Color LEDs, RGB color mixing • 4 modes: Auto, Sound active, DMX, Program • 3 DMX modes:8ch, 15ch, 111ch • 13 pre-set colors, 18 built-in programs, 10 editable programme • Onboard programming functionality enables programming, without external DMX controller • Thermal management system ensures long life of LEDs • Electronic protection against short circuit • 3-pin or 5-pin XLR connectors • New software can be updated through dmx port • Blue LCD display of 16 x 2 digits • Power failure memory, Set Slave ID 								


Indoor LED ColorKing Washer-48*3W Tri color-in-One

NEW-Tri color-in-One (3in1)	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-48003	Tri in 1 LED	48*3W	100-250V AC	50-60Hz	6 pcs	800*180*140mm	11Kgs	
	<p>LED Refresh-rate 400Hz suitable for use in TV studio Light Source: 48pcs 3W Tri color-in-One Edison LEDs Control Mode: DMX 512, Master/Slave, Sound active, Auto Run Lens Beam Angle: 25 degree/ 45 degree Channel: 9 Chs Color: Tri color in One LED Full Color Function: Color Change, Built in Program, Strobe 0-20/s, Dimmer 0-100%, IP Address Control Menu: LED Display Menu Connector:Signal in/out 3-pin XLR connectors Power Cord: Power in/out for daisy-chain</p>								

LED ColorKing Washer-522*5mm/225*10mm


	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-5222	R,G,B	522*5mm	90-250V AC	50-60Hz	12 pcs	511*235*148mm	9Kgs	
	LLWI-2255	R,G,B,A,W	225*10mm						
<p>LED Refresh-rate 400Hz suitable for use in TV studio Operating modes :Built-in Program,Auto Run, Sound Active, DMX512, Master/Slave 5 DMX modes: 3, 7, 21, 46, 47chs. 50 preset colors 12 editable programs 6 built-in and non editable programs Built-in automated programs via master/slave or DMX Program and recall custom programs via master/slave or DMX USB connector for software color/effect programs upgrading Automatic fan speed responding to internal temperature 3-pin or 5-pin XLR connectors Blue LCD display, Power failure memory Dimmer:0-100%, Strobe: 1-30fps, power in/out for daisy-chain, Quarter-turn fastener mounting points</p>									

LED ColorKing Washer-1044*5mm/450*10mm


	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-1044	R,G,B	1044*5mm	90-250V AC	50-60Hz	12 pcs	1006*235*148mm	13Kgs	
	LLWI-4500	R,G,B,A,W	450*10mm						
<p>LED Refresh-rate 400Hz suitable for use in TV studio Operating modes :Built-in Program,Auto Run, Sound Active, DMX512, Master/Slave 7 DMX modes: 3, 5, 15,30, 54,55, 56,chs. 50 preset colors 12 editable programs 6 built-in and non editable programs Built-in automated programs via master/slave or DMX Program and recall custom programs via master/slave or DMX Automatic fan speed responding to internal temperature 3-pin or 5-pin XLR connectors Blue LCD display Power failure memory Dimmer:0-100%, Strobe: 1-30fps, power in/out for daisy-chain, Quarter-turn fastener mounting points</p>									




Indoor LED ColorKing Pixel Bar-45*1W/3W

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-45011	R,G,B,A,W	45*1W	90-250V AC	50-60Hz	6 pcs	510*240*150mm	9Kgs	
	LLWI-45012		45*3W						
<p>Light Source: 45pcs 1W/3W Edison LEDs (9*R,9*G,9*B,9*W,9*A) Lens Beam Angle: 15 degree/ 25 degree/ 45 degree LED Refresh-rate 400Hz suitable for use in TV studio 6 DMX modes: 3,7, 21,42, 91, 92chs. 50 preset colors, 12 editable programs 45pcs LEDs can be divided into 3 Pixel, Each Pixel can control alone 6 Built-in automated programs, Master/Slave or DMX, Sound active Function: Color Change, Color Chase effect, Strobe 0-20/s, Dimmer 0-100% Program and recall custom programs via master/slave or DMX USB connector for software color/effect programs upgrading Automatic fan speed responding to internal temperature 3-pin or 5-pin XLR connectors, Blue LCD display, Power failure memory</p>									


Indoor LED ColorKing Washer-84*1W/3W

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-84001	A,W	84*1W	90-250V AC	50-60Hz	6 pcs	1070*360*320mm	8Kgs	
	LLWI-84002	R,G,B R,G,B,W	84*1W 84*3W						
<p>Power supply: AC100~240V 50/60Hz Max power: 260W Beam angle: 25° DMX channel: 16 channels Control:DMX-512, Auto-trigger Operation modes: Master/Slave,Stand alone, Sound active Data in/out: locking 3-pin XLR Body material: Alnico</p>									


Indoor LED ColorKing Pixel Bar-90*1W/3W

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-90011	R,G,B,A,W	90*1W	90-250V AC	50-60Hz	6 pcs	1006*240*150mm	17Kgs	
	LLWI-90033		90*3W						
<p>Light Source: 90pcs 1W/3W Edison LEDs (18*R,18*G,18*B,18*W,18*A) Lens Beam Angle: 15 degree/ 25 degree/ 45 degree LED Refresh-rate 400Hz suitable for use in TV studio 6 DMX modes: 3,7, 21,42, 91, 92chs. 50 preset colors, 12 editable programs 90pcs LEDs can be divided into 3 or 6 Pixel, Each Pixel can control alone 6 Built-in automated programs, Master/Slave or DMX, Sound active Function: Color Change, Color Chase effect, Strobe 0-20/s, Dimmer 0-100% Program and recall custom programs via master/slave or DMX USB connector for software color/effect programs upgrading Automatic fan speed responding to internal temperature 3-pin or 5-pin XLR connectors, Blue LCD display, Power failure memory</p>									


Outdoor IP67 LED Wall Washer Light -LED Architec 40

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-40CW	Cree White	20*2W	90-250V AC	50-60Hz	12 pcs	mm	Kgs	
	<p>Light Source: 20pcs 2W Cree White LEDs Life : 50000 hours Luminous Flux: Beam Angle: 1.8° high brightness beam Housing Material: Aluminum alloy. Voltage and Power: AC100-230V IP Grade: IP67. It is available to used both indoor and outdoor. Installation: Fixed Setting. Features: Multi functions, energy-saving, Long life lamp, high-performance security, can be normal work in wide voltage range, . Application fields: Building, Square, Factory, Stage, Parks, Lawns</p>								

Outdoor IP67 LED Wall Washer Light -LED Architec 60


	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-60CW	Cree White	30*2W	90-250V AC	50-60Hz	20 pcs	mm	Kgs	
	<p>Light Souece: 30pcs 2W Cree White LEDs Life : 50000 hours Luminous Flux: Beam Angle: 1.8° high brightness beam Housing Material: Aluminum alloy. Voltage and Power: AC100-230V IP Grade: IP67. It is available to used both indoor and outdoor. Installation: Fixed Setting. Features: Multi functions, energy-saving, Long life lamp, high-performance security, can be normal work in wide voltage range, . Application fields: Building, Square, Factory, Stage, Parks, Lawns</p>								

Outdoor IP67 LED Wall Washer Light -18*1W RGB LEDs


	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-618P	R,G,B	36*1W	90-250V AC	50-60Hz	4 pcs	170*170*181mm	2.5Kgs	
	<p>Light Source: 18*1W LEDs (6R,6G,6B) Material:Aluminum Alloy Waterproof Grade: IP65 Rotatory Angle: 150° Lens Angle: 15°, 30°, 45° Projection Distance: 5m/10m/20m Function: Light dimmer:0-100% ,light strobe speed adjust, color changing, color jump, color fading Control Mode: DMX 512 mode, Master/Slave, Auto Run, Independent mode by LED Display Menu</p>								




Outdoor IP67 LED Wall Washer Light -36*1W RGB LEDs

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-636P	R,G,B	36*1W	90-250V AC	50-60Hz	4 pcs	210*210*194mm	3.5Kgs	
	Light Source: 36*1W LEDs (12R,12G,12B) Material:Aluminum Alloy Waterproof Grade: IP65 Rotatory Angle: 150° Lens Angle: 15°,30°, 45° Projection Distance: 5m/10m/20m Function: Light dimmer:0-100% ,light strobe speed adjust, color changing, color jump, color fading Control Mode: DMX 512 mode, Master/Slave, Auto Run, Independent mode by LED Display Menu								


Outdoor IP67 LED Wall Washer Light -36*1W RGB LEDs

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-3601-RGB	R,G,B	36*1W	90-250V AC	50-60Hz	4 pcs	333*147*210mm	5Kgs	
	Light Source: 36*1W LEDs (12R,12G,12B) Material:Aluminum Alloy Waterproof Grade: IP65 Rotatory Angle: 180° Lens Angle: 15°,30°, 45° Projection Distance: 5m/10m/20m Function: Light dimmer:0-100% ,light strobe speed adjust, color changing, color jump, color fading Control Mode: DMX 512 mode, Master/Slave, Auto Run, Independent mode by LED Display Menu								


Outdoor IP67 LED Wall Washer Light -12*1W RGB LEDs

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-L1201	R,G,B	12*1W	90-250V AC	50-60Hz	4 pcs	500*80*65mm	3Kgs	
	Light Source: 12pcs High Brightness 1W (4R,4G,4B) LEDs Display: LED Display Menu Channel: 5 standard DMX Channels Waterproof Class: IP67 Lens Angle: 15°,30°, 45° Project distance: 5m/10/20m Material of Shell:Aluminum alloy Rotary angle:180° Function: Light dimmer:0-100% ,light strobe speed adjust, color changing, color jump, color fading Control Mode: DMX 512 mode, Master/Slave, Auto Run, Independent mode by LED Display Menu								


Outdoor IP67 LED Wall Washer Light -12*3W Tri color-in-One LEDs

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-L1203	Tri color-in-One	12*3W	90-250V AC	50-60Hz	4 pcs	500*80*65mm	3Kgs	
	Light Source: 12pcs High Brightness 3W Tri color-in-One LEDs Display: LED Display Menu Channel: 5 standard DMX Channels Waterproof Class: IP67 Lens Angle: 15°,30°, 45° Project distance: 5m/10/20m Material of Shell:Aluminum alloy Rotary angle:180° Function: Light dimmer:0-100% ,light strobe speed adjust, color changing, color jump, color fading Control Mode: DMX 512 mode, Master/Slave, Auto Run, Independent mode by LED Display Menu								


Outdoor IP67 LED Wall Washer Light -18*1W RGB LEDs

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-L1801	R,G,B	18*1W	90-250V AC	50-60Hz	4 pcs	800*80*65mm	4Kgs	
	Light Source: 18pcs High Brightness 1W (6R,6G,6B) LEDs Display: LED Display Menu Channel: 5 standard DMX Channels Waterproof Class: IP67 Lens Angle: 15°,30°, 45° Project distance: 5m/10/20m Material of Shell:Aluminum alloy Rotary angle:180° Function: Light dimmer:0-100% ,light strobe speed adjust, color changing, color jump, color fading Control Mode: DMX 512 mode, Master/Slave, Auto Run, Independent mode by LED Display Menu								

Outdoor IP67 LED Wall Washer Light -24*1W RGB LEDs


	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-L2401	R,G,B	36*1W	90-250V AC	50-60Hz	4 pcs	1000*80*65mm	4.5Kgs	
	Light Source: 24pcs High Brightness 1W (8R,8G,8B) LEDs Display: LED Display Menu Channel: 5 standard DMX Channels Waterproof Class: IP67 Lens Angle: 15°,30°, 45° Project distance: 5m/10/20m Material of Shell:Aluminum alloy Rotary angle:180° Function: Light dimmer:0-100% ,light strobe speed adjust, color changing, color jump, color fading Control Mode: DMX 512 mode, Master/Slave, Auto Run, Independent mode by LED Display Menu								

Outdoor IP67 LED Wall Washer Light -24*3W Tri color-in-One LEDs


	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-L2403	Tri color-in-One	24*3W	90-250V AC	50-60Hz	4 pcs	1000*80*65mm	4.5Kgs	
	Light Source: 24pcs High Brightness 3W Tri color-in-One LEDs Display: LED Display Menu Channel: 5 standard DMX Channels Waterproof Class: IP67 Lens Angle: 15°,30°, 45° Project distance: 5m/10/20m Material of Shell:Aluminum alloy Rotary angle:180° Function: Light dimmer:0-100% ,light strobe speed adjust, color changing, color jump, color fading Control Mode: DMX 512 mode, Master/Slave, Auto Run, Independent mode by LED Display Menu								




Outdoor IP67 LED Wall Washer Light -36*1W RGB LEDs

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-L3601	R,G,B	36*1W	90-250V AC	50-60Hz	4 pcs	1200*80*65mm	5Kgs	
	Light Source: 36pcs High Brightness 1W (12R,12G,12B) LEDs Display: LED Display Menu Channel: 5 standard DMX Channels Waterproof Class: IP67 Lens Angle: 15° 30°, 45° Project distance: 5m/10/20m Material of Shell:Aluminum alloy Rotary angle:180° Function: Light dimmer:0-100% ,light strobe speed adjust, color changing, color jump, color fading Control Mode: DMX 512 mode, Master/Slave, Auto Run, Independent mode by LED Display Menu								


Outdoor IP67 LED Wall Washer Light -108*1W RGB LEDs

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-L10801	R,G,B	108*1W	90-250V AC	50-60Hz	12 pcs	450*180*140mm	6Kgs	
	Light source: 108pcs High Brightness1W (36R,36G,36B) LEDs Display: LED Display Menu Material of Shell:Aluminum alloy Rotary angle:180° Waterproof Class: IP65 LED Angle: 35 degree Project distance: 20 meters Channel: 14 standard DMX Channels Function: Light dimmer:0-100% ,light strobe speed adjust, color changing, color jump, color fading Control Mode: DMX 512 mode, Master/Slave, Auto Run, Independent mode by LED Display Menu								

Outdoor IP67 LED Wall Washer Light -144*1W RGB LEDs

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-L14401	R,G,B	144*1W	90-250V AC	50-60Hz	12 pcs	600*180*140mm	7Kgs	
	Light source: 144pcs High Brightness1W (48R,48G,48B) LEDs Display: LED Display Menu Material of Shell:Aluminum alloy Rotary angle:180° Waterproof Class: IP65 LED Angle: 35 degree Project distance: 20 meters Channel: 14 standard DMX Channels Function: Light dimmer:0-100% ,light strobe speed adjust, color changing, color jump, color fading Control Mode: DMX 512 mode, Master/Slave, Auto Run, Independent mode by LED Display Menu								

Outdoor IP67 LED Wall Washer Light -216*1W RGB LEDs

	Item Number	Color	LED	Voltage	Frequency	M.OQ	Dimension	Weight	Unit Price
	LLWI-L21601	R,G,B	216*1W	90-250V AC	50-60Hz	12 pcs	860*180*140mm	9Kgs	
	Light source: 216pcs High Brightness1W (72R,72G,72B) LEDs Display: LED Display Menu Material of Shell:Aluminum alloy Rotary angle:180° Waterproof Class: IP65 LED Angle: 35 degree Project distance: 20 meters Channel: 14 standard DMX Channels Function: Light dimmer:0-100% ,light strobe speed adjust, color changing, color jump, color fading Control Mode: DMX 512 mode, Master/Slave, Auto Run, Independent mode by LED Display Menu								