

# LED Indoor Highbay Light

## DLC Standard Model Number

GI-2HB16-50-ALN

## DESCRIPTION

LED highbay lights are designed for simplicity, elegance and practicality.

Use only the most durable materials and components, modular heatsink with perfect structure and inside airflow channels maximize the 3D heat dissipation. Thin aluminum sheets resulting in a thermal management design with a larger surface area of fins for better heat dissipation and air flow but is extremely light weight.

Furthermore, 70,000 hours long lifespan and 6-year limited warranty brings new concepts of LED lighting.

Widely used in warehouse facilities, assembly areas, gyms, hangers, transportation garages, loading and staging areas etc.



## COMPLIANCE

- DLC Standard listed (E.G. GI-2HB16-50-ALN)
- UL/cUL(E352762) listed
- LM79 / LM80 / IES available
- CE RoHS available

## FEATURES

- Top brand high quality NICHIA chips, MEAN WELL driver in order to ensure the durability of the product
- High efficient heatpipes contact the heat source directly, maximize the performance of the heatpipe to reach the cooling effect.
- Creative Compressed Fins Technology: rivet the heatpipe to heatsink body closely, minimize the heat resistance, greatly improve the heat dissipation effect
- Integrated thermal management system
- Easy assembly, easy installation and easy maintenance
- Energy saving 70%~80%
- 6-Year Warranty



## LED Indoor Highbay Light

### SPECIFICATIONS

Items	Details
Model No.	GI-2HB16-50-ALN
Input Power	200 W
Input Voltage	AC 100-277V (50~60Hz)
Luminous Flux	20369 lm @5000K
Efficiency	112.8 lm/W @5000K
LED Source	NICHIA
Color Temp.:	5000K
CRI	≥77
Dimming	Available
Driver	Meanwell Driver
Power Factor	≥0.906
THD	≤10.6%
Fixture Material	High-purity aluminum
Fixture Surface	Silver
Operating Temp	- 30°C to 45°C
Storage Temp	- 55°C to 65°C
Replacement	400W~500W MH/HPS
Energy saving	70% ~ 80%
Package	32 cm(L) x 32 cm(W) x 50 cm(H)
Weight	6.5 KG (14.4 LB)
Testing Reports	LM79, LM80, IES available
Warranty	6 years warranty
Qualifications	UL/cUL(E352762),DLC Standard listed (E.G. GI-2HB16-50-ALN)
Security	Approved

## LED Indoor Highbay Light

### SAFETY INFORMATION

#### WARNING

ONLY QUALIFIED PERSONNEL SHOULD PERFORM INSTALLATION. TO AVOID ELECTRICAL SHOCK OR COMPONENT DAMAGE, DISCONNECT POWER BEFORE ATTEMPTING INSTALLATION OF THE FIXTURES.

#### PRIOR TO INSTALLATION

Before installing fixtures, read and understand all cautions, warnings, instructions, and product labels. Failure to do so could result in injury and/or void the warranty.

#### MAINTENANCE

The unit is designed for years with minimum care. For optimum performance, periodically clean the reflector and lens with a mild, non-abrasive glass cleaner and soft cloth. Do NOT use solvents or cleaners containing abrasive agents. When cleaning the fixture, make sure you have the power turned off and do not spray liquid cleaner directly onto the LED, socket, or wiring.