


## LOC-L10-01

### WiFi Control



### Features

- Achieve functions through mobile APP, router, ECS, etc.
- Achieve dimming and time control
- Support group or single control
- Work with voice control: Amazon Echo, Google home etc

### Specifications

Operating Voltage	15V DC +-2V	Storage temperature	-30 ° C ~ +80 ° C
Current	20mA	Operating temperature	-20 ° C ~ +75 ° C
IP rating	IP20	Lifespan	5 years
WIFI	2.4GHz	OS	Andriod4.2 or newer, IOS8.0 or newer

# Application



Multifunctional smart module



LED corn lamp  
GKS39-09/10 series




LED low/high bay  
GKH10-05 series






Villadom



Balcony



Warehouse



① Adding Devices


② Configure when light flashing

③ on-off or dimming option


④ Setting time

More options for group scene automation control

## How wifi control interface works



## Dimensions



## Packing

Model	N.W(kg) lbs=kg x 2.2	G.W(kg) lbs=kg x 2.2	Box size(mm) x 0.0393=inch	Carton size(mm) x 0.0393=inch	QTY(PCS)	Quantity per carton
L10	0.021	0.031	44*44*44	236*246*280	1	150

**Caution**

WiFi:Wifi 2.4GHz  
OS:Andriod4.2 or newer, IOS8.0 or newer