



Vivid 4

Vivid 4 is a modular video panel vividly displays content without the need of bulky media servers. Create dazzling video displays with these lightweight video panels that feature Black body LEDs that accurately reproduce high-contrast videos. Vivid 4 makes a perfect DJ façade and seamlessly integrates with Serato for displaying music videos to add gig excitement. Set up is easy and fast with multiple magnets and positioning pins that make getting up and running tool-free and effortless. Stellar reliability and quality are built into Vivid 4. Dual power supplies ensure downstream panels don't lose signal. Intelligent modules with dedicated memory improve the image quality and simplify maintenance. Panels can be suspended vertically or horizontally offering different aspect ratio options. Multiple Speego connectors mean Vivid 4 sets up twice as fast as other panels.

Novastar Download is available at
<http://www.novastar.tech/download-1>

Highlights

- Modular video panel vividly displays content without the need of bulky media servers
- Multiple magnets and positioning pins effortlessly allow a tool free, one-man setup
- Elongated size with multiple Speego connectors sets up 2x faster than other panels
- Creates a perfect DJ façade and seamlessly integrates with Serato for displaying music videos
- Panels can be suspended vertically or horizontally offering different aspect ratio options
- Dual power supplies improve reliability and ensure downstream panels don't lose signal
- Black body LEDs accurately reproduce high-contrast videos
- Intelligent modules with dedicated memory improve the image quality and simplify maintenance
- Extremely lightweight due to the magnesium die-cast housing



Elongated size with multiple Speego connectors sets up 2x faster than other panels



Extremely lightweight due to the magnesium die-cast housing



Seetronic® powerKON® and Seetronic® etherKON® Connections



Includes 1 Edison to
powerKON®, 4 powerKON® to
powerKON® and 4 etherKON®
Cables

Specifications

- Light Source: 21,632 SMD 2020 LEDs (tri-color RGB) 0.3 W, (60 mA), 50,000 hours life expectancy
- Power Linking: 7 units @ 120 V; 13 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 280 W, 2.3 A @ 120 V, 60 Hz 280 W, 1.2 A @ 230 V, 50 Hz
- Weight: 27.6 lb (12.5 kg)
- Size: 19.7 x 1.9 x 39.4 in (500 x 65 x 1000 mm)
- Approvals: CE, MET, FCC
- Wavelength: 620 to 625 nm red, 516 to 530 nm green, 460 to 475 nm blue
- Viewing Angle: 120°
- Maximum Illuminance: 1,200 NITS
- Calibrated Illuminance: 1,000 NITS
- Contrast Ratio: 4,300:1

What's Included

- (x4) Vivid 4
- (x1) Road case
- (x1) Seetronic Powerkon power cord
- (x4) Seetronic Powerkon power linking cords
- (x4) Seetronic EtherCon signal linking cords
- Warranty card
- User Manual